

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

YOU, et al.

Serial No.: 09/785,445

Group Art Unit: 2811

Filed: February 20, 2001

Examiner: Unassigned

For: SINGLE DAMASCENE INTEGRATION SCHEME FOR PREVENTING COPPER
CONTAMINATION OF DIELECTRIC LAYER

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents
Washington, DC 20231

Sir:


We are in receipt of the Notice to File Corrected Application Papers mailed April 5,
2001.

In response to this Notice, submitted herewith are (10) ten sheets of substitute drawings
in compliance with CFR 1.84. If anything further is needed, please contact the undersigned
immediately.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby
made. Please charge any shortage in fees due in connection with the filing of this paper, including
extension of time fees, to Deposit Account 500417 and please credit any excess fees to such deposit
account.

Respectfully submitted,

MCDERMOTT, WILL & EMERY



Scott D. Paul
Registration No. 42,984

600 13th Street, N.W.
Washington, DC 20005-3096
(202) 756-8000 SDP:cac
Date: April 17, 2001
Facsimile: (202) 756-8087



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/785,445	02/20/2001	Lu You	50432-022

CONFIRMATION NO. 5047

FORMALITIES LETTER



OC000000005938317

BERMOTT, WILL & EMERY
600 13th Street, N.W.
Washington, DC 20005-3096

Date Mailed: 04/05/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE